

**TRESPA® METEON® LUMEN**


CREATE  
MEMORABLE  
FAÇADES

Think Trespa

TRESPA®

# WHERE COMPELLING AESTHETICS AND LIMITLESS DESIGN POSSIBILITIES MEET

DISCOVER AN ENORMOUS RANGE OF DESIGNS. UNIQUE PATTERNS. RHYTHMS AND DEPTHS. AND ENDLESS, LONG-LASTING COLORS. ALL BROUGHT TOGETHER IN HIGH-END MATERIALS AND FINISHES THAT PROMISE COMPELLING AESTHETICS AND ALMOST LIMITLESS DESIGN POSSIBILITIES. THE TRESPA® METEON® COLLECTION OFFERS HIGH-END CLADDING OPTIONS TO REIMAGINE EVERY PROJECT AND DESIGN YOUR NEXT-GENERATION ARCHITECTURAL HIGHLIGHT.



Create perfect one-of-a-kind effects. Or simply look for other value-adding options to determine a distinctive look and underline the qualities of a building. All according to your vision and ideas. It's now possible, with Trespa® Meteon®.

## EVERYTHING YOU WANT

This stunning collection features cladding panels for innovative and functional ventilated façade systems, balconies, and sunblind solutions. Available in a broad range of looks, such as Metallics, Lumen, Focus, Naturals and Woods. You even can pick different colors and finishes. Allowing you to realize almost everything you want, exactly in the way you want.




## LONG-LASTING ENJOYMENT

The entire collection is highly weather resistant, so sun and rain will have no significant effect on a panel's surface. They're also easy to clean and highly scratch and impact resistant. And they all come with a 10-year limited warranty.



## HIGH-END QUALITY

Trespa® Meteon® is a decorative high-pressure compact laminate (HPL) with an integral surface manufactured using Trespa's unique in-house technology: Electron Beam Curing (EBC). The blend of up to 70% natural fibers and thermosetting resins, manufactured under high pressures and temperatures, yields a highly stable, dense panel with good strength-to-weight ratio.



METEON® LUMEN

# CREATE MEMORABLE FAÇADES THAT PLAY WITH LIGHT, FROM EXTREME MATTE TO SPARKLING GLOSS

Light inspires. Light refreshes. And light can bring new dimensions to design freedom. The Trespa® Meteon® Lumen collection is a unique cladding panel with rich nuances and natural tones that bring a subtle and refined touch to every project. It offers more light-absorbing, matte effect qualities, as well as more natural or high-reflective aspects. The possibilities are endless, but they all have one thing in common: a calming, crisp result with a confident sense of style that brings every project to life.

The Trespa® Meteon® Lumen collection includes up to three unique finishes and is designed to add a feeling of movement, depth, tone, and liveliness to your projects. And because the collection is available in a rich palette of colors, you can design memorable façades with impressive qualities that make them stand out.



DISCOVER THE TRESPA® METEON® LUMEN  
COLLECTION AND REIMAGINE YOUR NEXT PROJECT



## FINISHES



**DIFFUSE**

# PREMIUM FAÇADE WITH A DEEP MATTE SURFACE

The Trespa® Meteon® Lumen Diffuse finish helps you create new, state-of-the-art designs while using natural light as a design element. This 'less is more' product absorbs light and removes shine and texture, creating a velvety smooth, subdued matte appearance. Meteon® Lumen Diffuse will bring instant tranquility, giving a façade a unique and desirable look. The light-absorbing quality of these panels creates an interplay of shades and a unique tonal depth. A feature that enhances colors without detracting from the overall design.

**OBLIQUE**

# A NATURAL TOUCH FOR EVERY SURFACE

The Trespa® Meteon® Lumen Oblique finish is a unique product with impressive design results. Its natural, weathered look can enhance any façade with a pleasantly irregular matte and gloss surface. The result: a new dimension of liveliness to augment your projects.

The Trespa® Meteon® Lumen Oblique finish finds its inspiration in nature, which brings natural elements to your design. It creates an impressive atmosphere, especially when combined with other finishes. And thanks to its ability to reflect light in an irregular way, it also brings a crisp and natural touch to every surface. Subtle, but with impact that packs a real design punch.

**SPECULAR**

# ADDING LIVELINESS THROUGH GLOSS

The Trespa® Meteon® Lumen Specular finish reflects its surroundings, adding liveliness with deep colors and gloss. Buildings become seamlessly integrated into the environment, resulting in a vibrant designed façade. Combined with natural tones, it gives you even more freedom to design contemporary façades with a subtle elegance that will never go out of style.

The Trespa® Meteon® Lumen Specular finish integrates perfectly with our other finishes. So you can blend aspects of modern design with colors, variations, and fascinating reflections of natural light.

**OBLIQUE**

**DIFFUSE**

# THE BEAUTY OF BEING BOLD

THE NEXT MATERIAL HOUSE (NEMHO)

“Nemho, our new shared R&D center in Weert, next to Trespa’s main office, fulfills a dual purpose. For all companies belonging to the broadview group, it is a technology and competence hub.”

*André Horbach, CEO of Trespa*

“I had never built with Trespa® products before, but I was convinced from the start that we had to come up with something special – a spectacular idea that would reveal some of the untapped aesthetic potential of Trespa® Meteon® façade panels. We always strive for concepts that will inspire people and make them happy to live or work in the buildings we create.”

*Erik van Eck, architect Broekbaema*



**LEARN MORE ABOUT THE  
ARCHITECTURAL DESIGN,  
WATCH THE VIDEO**

**TRESPA® METEON® LUMEN**  
THE BEAUTY OF BEING BOLD

Trespa® Meteon® Lumen panels come in a rather unusual variety of shades and finishes, from shiny to satin to matte. This allowed us, by combining three finishes – Diffuse, Specular and Oblique – to create a design that literally comes to life in the sun, when each finish reflects the light in its own, more or less muted, ever changing way”.


- Erik van Eck, architect Broekbaema

**NEMHO**

ARCHITECT	BROEKBAKEMA
INSTALLER	LIMEPARTS-DROOGHMANS
MARKET SEGMENT	OFFICES, R&D
BUILD TYPE	NEW CONSTRUCTION
USE	FAÇADE
CONSTRUCTION YR.	2020



DISCOVER THE PROJECT



ECOLE DES SALINES

# CLEAN WHITE EXTERIOR




# TRESPA® METEON® LUMEN

## OUR DELIVERY PROGRAM

Color code	Color name	Diffuse			Oblique			Specular		
		■	■	■	■	■	■	■	■	■
L0500	Athens White	■	■	■	■	■	■	■	■	■
L0651	Italian Greige	■	■	■						
L1971	Iceland Grey	■	■	■						
L2151	London Grey	■	■	■	■	■	■	■	■	■
L2264	Oceania Blue	■	■	■						
L2581	New York Grey	■	■	■	■	■	■	■	■	■
L3673	Olive Green	■	■	■						
L9000	Metropolis Black	■	■	■	■	■	■	■	■	■
With metallic effect										
LM0561	Roman Bronze	■	■	■	■	■	■	■	■	■
LM0641	China Gold	■	■	■	■	■	■	■	■	■
LM1055	Persian Copper	■	■	■	■	■	■	■	■	■
LM2181	Siberian Platinum	■	■	■	■	■	■	■	■	■
LM5101	Paris Silver	■	■	■	■	■	■	■	■	■

TRESPA® METEON® LUMEN DIFFUSE, LUMEN OBLIQUE AND ALL LUMEN WITH METALLIC EFFECT (PRODUCTS WITH LM CODE) FEATURE A DIRECTIONAL COLORED SURFACE.  
\*WITH SATIN REVERSE.

### FINISHES



**L0500**  
ATHENS WHITE  
DIFFUSE



### TYPES

- **SINGLE SIDED DECORATIVE** DECORATIVE SIDE WITH NON DECORATIVE BLACK REVERSE
- **DOUBLE SIDED DECORATIVE** SAME COLOR FOR FRONT AND REVERSE SIDE OF THE PANEL
- **VARITOP** DECORATIVE SIDE WITH STANDARD WHITE DECORATIVE SATIN REVERSE (A03.0.0)

### SIZE

### SIZE



- 1** ≈ 6 x 8 ft (1860 x 2550 mm)
- 2** ≈ 5 x 10 ft (1530 x 3050 mm)
- 3** ≈ 6 x 12 ft (1860 x 3650 mm)

NOTE: FULL SIZE PANELS FEATURE A SQUARENESS TOLERANCE.

### THICKNESSES

- ▲ ≈ 5/16 inch (8 mm)
- ▲ ≈ 3/8 inch (10 mm)
- ▲ ≈ 1/2 inch (13 mm)

### NOTE

PLEASE BE AWARE THAT NOT ALL PRODUCT-FINISH COMBINATIONS ARE POSSIBLE. FOR AVAILABLE SHEET SIZES, THICKNESSES AND FINISHES IN YOUR COUNTRY, PLEASE CHECK **TRESPA.INFO** FOR THE DETAILED AND UP TO DATE DELIVERY PROGRAM AND MATERIAL PROPERTY DATASHEET. ALTERNATIVELY YOU CAN USE THE PRODUCT SELECTOR ON **TRESPA.COM** (AFTER CHOOSING THE COUNTRY WHERE THE PROJECT IS LOCATED).

### ORDER YOUR FREE SAMPLE



FOR TECHNICAL INFORMATION, PLEASE VISIT [WWW.TRESPA.INFO](http://WWW.TRESPA.INFO)

## CONTACT US

### TRESPA INTERNATIONAL B.V.

P.O. Box 110, 6000 AC Weert  
Wetering 20, 6002 SM Weert  
The Netherlands  
www.trespa.com

### TRESPA NORTH AMERICA LTD.

350 Fifth Avenue, Ste 4610  
New York NY 10118  
United States  
1-800-487-3772  
Info.NorthAmerica@Trespa.com

## VISIT US

### TRESPA DESIGN CENTER WEERT

Wetering 20  
6002 SM Weert  
The Netherlands  
Tel: +31 (0) 495 458 845  
TDC.Weert@Trespa.com  
www.trespa.com/tdc

### TRESPA DESIGN CENTER BARCELONA

Calle Ribera 5,  
08003 Barcelona  
Spain  
Tel: +34 (0) 93 295 4193  
TDC.Barcelona@Trespa.com  
www.trespa.com/tdc

### TRESPA DESIGN CENTER SANTIAGO

Eliodoro Yáñez 2831  
Torre A - Local 1  
Providencia, Santiago  
Chile  
Tel: +56 2 24069990  
TDC.Santiago@Trespa.com  
www.trespa.com/tdc

## FOLLOW US



### Distributed in Canada by Engineered Assemblies

3-3610 Odyssey Drive  
Mississauga Ontario L5M 0Z9  
1-866-591-7021  
info@engineeredassemblies.com  
www.engineeredassemblies.com



## DISCLAIMER

### GENERAL

These terms apply to the use of this document and such use automatically means that the other party agrees to these terms. The information provided by Trespa International B.V. ("Trespa") in this document is solely indicative. Trespa is unable to warrant the accuracy and completeness of this information. Trespa may change the information included in this document at any time and without further notice. Trespa's customers and third parties must ascertain that they have the most recent document (for the most recent version, please consult: www.trespa.com). No rights can be derived from the information provided; the use of the information is at the other party's risk and responsibility. Trespa does not warrant that the information in this document is suitable for the purpose for which it is consulted by the other party. This document does not contain any design, structural calculation, estimate or other warranty or representation that customers and third parties may rely on. This document does not guarantee any properties of Trespa products. Colors used in Trespa's communications (including but not limited to printed matter) and in samples of Trespa's products may differ from the colors of the Trespa products to be supplied. Samples are not intended for use in product tests and are not representative of characteristics of the Trespa

products. Trespa's products and samples are produced within the specified color tolerances and the colors (of production batches) may differ, even if the same color is used. The viewing angle also influences the color perception. Metallic panels feature a surface whose color appears to change based on the direction from which it is viewed. The specified color stability and color specifications relate only to the decorative surface of the Trespa products, not to the core material and samples of the Trespa products. Trespa products are delivered ex-works with straight, sawn sides. Customers and third parties must have a professional adviser inform them about (the suitability of) the Trespa products for all desired applications and about applicable laws and regulations. Trespa does not warrant the above. The most recent version of the current delivery programme and the Material Properties Datasheet can be found at www.trespa.info. Only the information in the most recent and valid Material Property Datasheet should be used to select and provide advice regarding Trespa products. Trespa reserves the right to change (the specifications for) its products without prior notice.

### LIABILITY

Trespa is not liable (neither contractual nor non-contractual) for any damage arising from or

related to the use of this document, except if and to the extent that such damage is the result of wilful misconduct or gross negligence on the part of Trespa and/or its management. The limitation of liability applies to all parties affiliated with Trespa, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

### GENERAL CONDITIONS

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Trespa are governed by the Trespa General Terms and Conditions of Sale (*Algemene verkoopvoorwaarden Trespa International B.V.*) filed with the Chamber of Commerce and Industry for Noord- en Midden-Limburg in Venlo (NL) on February 20th, 2015 under number 24270677, which can be found on and downloaded from the Trespa website, www.trespa.com/documentation. All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related work of Trespa North America, Ltd. are governed by the Trespa North America General Terms and Conditions of Sale, which can be found on and downloaded from the Trespa website, www.trespa.com/documentation. A copy of these general conditions of sale will be provided free of

charge on request. All general terms and conditions other than the conditions mentioned above are dismissed and do not apply, regardless of whether such terms and conditions are referred to on requests for offers, offer confirmations, stationery and/or other documents of the other party, even if Trespa does not expressly object to such terms and conditions.

### INTELLECTUAL PROPERTY

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Trespa and/or its licensors. Any use of the content of this document, including distribution, reproduction, disclosure, storage in an automated data file or the dispatch of such a file without Trespa's prior written consent is explicitly prohibited. \* Trespa, Meteon, Athlon, TopLab, TopLab<sup>PLUS</sup>, TopLab<sup>PLUSALIGN</sup>, TopLab<sup>ECO-FIBRE</sup>, TopLab<sup>VERTICAL</sup>, TopLab<sup>BASE</sup>, Virtuo, Izeon, Pura, Pura NFC, Volkern, Trespa Essentials and Mystic Metallics are registered trademarks of Trespa.

### QUESTIONS

Should you have any questions or comments, please do not hesitate to contact Trespa.



EN-US2426-432587 ■ VERSION 2.0  
BROCHURE CODE EN-US2426 ■ DATE 10-22

VISIT [TRESPA.COM](http://TRESPA.COM) FOR THE MOST  
UP TO DATE VERSION OF THIS DOCUMENT.

TRESPA®